

Ç İñäÜíùóç ôùí ÅêäÜóåùí ôïõ FreeBSD

Murray Stokely

murray@FreeBSD.org

\$FreeBSD: doc/el_GR.ISO8859-7/articles/releasenotes/article.sgml,v 1.8 2008/12/08
03:10:52 keramida Exp \$

Áôôü ôï Üñèñï ðâñéñï Üöåé ôçí áîðéïåôþþéóç êáé iñäÜíùóç ôçò iñÜäáò áíÜðôôïçò ôïõ FreeBSD, üóïí áöïñÜ óôçí ðñïåôïéíåóßá ðíéïôééþí åêäüóåùí ôïõ Èåéôïñäééiy Óôôðþiaôïò FreeBSD. Åîçââß iâ eâðôñÝñâéá ôçí iâðiañëiâßá ðíõ ÷ñçöéïðíéâßôáé åéá ôéò åðþóçìâò åêäüóåéò ôïõ FreeBSD êáé ðâñéñïÜöåé óâ åñââéâßá ðíõ åþíáé åéáéÝóéâá óâ üóïõð åâñéâöÝñïóâé íá ðâñÜäïõí ðâñââåôñïðïçíÝâò åêäüóåéò ôïõ FreeBSD åéá åóùôåñéêþ Þ åìðiñéêþ ÷ñþóç êáé áíÜðôôïç ðñiñüíðûí.

Ðßíáêáò Ðåñéå ÷ iñÝíùí

1 Åéóáâùâþ	1
2 Ç Äéáäééâåóßá Äçìéïñäâò iéáò êäïóçò	2
3 Ìâðââæþþôôéóç ôçò êäïóçò	5
4 Äéâmþ ðùí Åêäüóåùí	8
5 Åðââðâåóéiñüôçðá	9
6 Ìâèþlåôá ðíõ Ðþñâiâá åðü ôçí êäïóç 4.4 ôïõ FreeBSD	10
7 ÌâëëñïðééÝó Èåôâððéýíóâéò	10
8 Åô÷áñéôðþâð	11
9 ÁiáöiñÝò	11

1 Åéóáâùâþ

Ç áíÜðôôïç ôïõ FreeBSD åþíáé iéá ðïëý áîïé ÷ ôþ äéáäééâåóßá. Ôï FreeBSD áðïðâéâßôáé åðü óðíâéóöñÝò ÷ éëéÜäùí áfèñþþðñí åðü üëi ôïí êüöïi. Ç iñÜäá ôïõ FreeBSD ðâñÝ ÷ áé ðñüöåâóç iñYóù áíþðiñõ CVS[1] óâ üëiõð, Yôóé þþôâ íá iññââß üðiñéò èÝéâé íá åâéé içíýíâðå log, åéäöññÝò (patches) ðíõ Ý ÷ iñi óâ åéÜöñâ development branches, êáé Üëëá ÷ áñââðçñéóðééÜ ðíõ åïçëiýí ôçí áíÜðôôïç, óâ iðiñâðñïéýððiñí åðü ôçí ÷ñþóç åíüð åðôðçñíý óðôðþiaôïò åéá ÷ åßñéóçò êþäééâá. Áôôü áðiøÝéâåâá åéá ôïí ðéï ôçìâiðééü ðâñÜäiñôá Ýéïçò åéá Ýíá iâñÜëi áñééiü åðü ðâééâiñý ÷ iñõð ðñiñâñâiñâðéóðÝò åðü üëi ôïí êüöïi óô FreeBSD. Åþíáé ðñiñöáñÝò, åÝââéá, ðùð ðïëý óýíññâ åé åþ ÷ å åþíâé åíðâåðþ ÷ åïðééþ ç êáðÜôðâåç áí åþ ÷ áí üëié, åðü üëi ôïí êüöïi, ðñüöåâóç íá añÜþðiñ óôññ ëþäééâá. Åé' áôôü, iññí iéá "åðééââíÝíç" iñÜäá åðü ðâññðiñ 300 Üôññá Ý ÷ iñi ðñüöåâóç íá añÜþðiñ óôñ CVS repository. Áôôiñ ié committers[6] åþíáé ñðâýéðñíé åéá ôï iâñââéýðâñí iñYñið ôçò áíÜðôðôïçò ðíõ åþíââé óôñ FreeBSD. Iéá

êâiôñéêP-üÜää[7] (core team) áðü äéåêåñéí Ýíïöö ðñiñäñällådóéóó Ýò åéë Ýääðåé äéá íá ðáñÝ ÷åé êÜðiëíö åßäiiöð èåèëäÞäçóç êáé íéá êáðåýéðíóç ööí óýíïëi ðùí committers.

Íe óá ÷ ýóâoííé ñòðèiìß áíÜðôðîçò óïõ FreeBSD ááí áöPíïñí éáé ðïëý ÷ ñüíí áéá õí íâéáÜñéóíá òïõ óóðôPíáòíò áíÜðôðîçò óá íéá Ýéëiöç iå ðïëüöçôá ðïõ íá áíßæåé íá ÷ ñçóëiìðïëåðâé áðññ Ýùò. Áéá íá ëëðâåß áðñû õí áßëëçìá, ç áíÜðôðîç áßíâðâé ðâðôð ÷ ñiiá óá áðñ ðáñÜëëçéá ïññÜðéá. Í éyñéiò ëïñiùò áíÜðôðîçò áßíâé i HEAD P trunk óóï CVS repository iåò, áññóðùò éáé ùò “FreeBSD-CURRENT”, P “-CURRENT” áí óðíóñßá.

Jáó ðéi óóðæðñùò eïñlùò óðíðçñðþóáé, áñúóðùò iå ôi üññá “FreeBSD-STABLE” P ðéi óýíðñá “-STABLE”. Éáé ié äði eïññið áßíáé áðíèçéâðiÝíé óðiôi êýñéi CVS repository, óðçí Éáééðüññéá, éáé áíðéáñÜðríðóáé iÝóù **CVSup**[2] óå mirrors ðáíðöiy óðiôi êüöiř. Ói FreeBSD-CURRENT[8] áßíáé c “ðñþðçc óáéñÜ” ôçò áíÜððöñçò óiô FreeBSD êáéþò óå áðóù áßññiðóáé ðñþðóá üeåð ié éáéñíýñéåð aëéäáÝð. Ói FreeBSD-STABLE áßíáé i eïñlùò áíÜððöñçò áðù ôiř iðiþí ðödeÜ ÷ iññóáé ié áðéüóåéð. Ié aëéäáÝð áéóÝñ ÷ iññóáé óå áðóùí, ôiř áðýðåñi eïñlùò áíÜððöñçò, iå ðéi áññü nñðèiü, áðiý ðñþðóá (óýlòùá iå ôiř ðíjééðéÞ iáð) áiðéiðáðiýí óði FreeBSD-CURRENT éáé Ý ÷ iðiř áðáðóáðóåð ðíjéý éáðÜ.

Êáð Ü Ócý ðåññßïäü ðtio ìåññéååß áðü ðc yéäiióç óðcý áðtùåíç, óðéÜ ÷ ñiðóáé êåèçìåññíÜ snapshots áðü óá ïc ÷ áÍÞiaôá ðcò ñÜäáð ðið FreeBSD êáé áßíáé aéåé Yóéiåò áðü oíi áiððçñåðçòþ <ftp://stable.FreeBSD.org/>. Ç iàåÜëç aéåéåóñiüðçóå ñúi áåðoåé Yóéiùí snapshots, êåéþò êåé c ðÜðc ðcò ëiéñüðçóåò ñúi ÷ ñçóðþí iàò íá áíçiaññíði óá ïc ÷ áÍÞiaôÜ ñiðo ìå ðéò ðññüðóåðåò -STABLE áåëüóåéò ïYóù CVSUp êáé “make world”[8] áíçëiýí ãá êñáóé Yóáé ði FreeBSD-STABLE óå yéá ðiéý áíéüðéóôç éáð Ü ñóáóç áéüíå êåé ðññéí áñ ÷ ðoåé i êýéëiò ñúi åé Yá ÷ ñí ðiéüðçóåò áéñéåþò ðññéí áðü Ócý aéÜéåðc yéá Ýéäiióç ðið FreeBSD.

Ãáá íá áîôðçñâôçéíý íé ðééí óööñçñôðééïß ÷ñïÞôðåò ìáð, íá Ýéäïïç öïï FreeBSD 4.3 áñ÷ßóåíá íá ÷ñçóéïïðéïýíå íå ÷ññéôðïý ëïñïïýò áâéäüôðåù. Áôõïß íé ëïñïïß áçïéïññäýíôáé ëßäï ðñßí ôöéá ÷ðâß ç ôâëééÞ Ýéäïïç. ÌåðÜ ôçí áíáéïßñûç ôçð Ýéäïïç, ïüñï ðïëý õçïáïôééÝò áéëæãÝò áéé ðññïøÞêåò ó ÷ðâöééÝò íå ôçí áóöÜéâéá áßññïôáé ôöïí ëïñïü ôçð Ýéäïïç. Áéôùò áðü ôçí áðïáðüôçðá áíáññÜéïéçò ìÝòu CVS, áâöðâéÝóéïá patchkits ôöéÜ ÷ññïôáé áéá íá ïðïñïýí íá áíáâéïßñï ñá óððôðÞâðÜ ðïòð üöïé ÷ñçóéïïðéïýí ôéð áâéäüôðåéò RELENG_X_Y.

2 C Äéáäéêáóßá Äciéïöñãßáò ïéáò êäïïóçò

Íe íÝåò åéäüöåéò öiö FreeBSD ööéÜ÷üíöåé áðü öií -STABLE êíñiiü áíÜðööñçò ðåññßöï õÜëå ðÝóóåñåéò iÞíåò. Ç áéäééåáößá ðñiåöiçíáößá ìéåò Ýéäööçò iâééíÜåé ð÷åäüí 45 iÝñåò ðñéí õçí áíåñåñüäíç ñåññïçíßá Ýéäööçò, üöåí i ððåýéöñiò åéäüöåùí öiö FreeBSD ööÝéíåé Ýíá ãñÜñìá ðööè ëßöôåò ðùí ðñiññåñüäööñöí ãæá íá ððåñéöñßöåé ööíöö ðñiññåñüäööñöÝò üöé Ý÷iö 15 iÝñåò éåéñü íá êÜñiöi üðééåò åééåáÝò èÝëiöi, ðñéí õi ðÜñüìá õiö êþäééå. IÝóå óå áðööù õií éåéñü, ðiëëiß ðñiññåñüäööñöÝò êÜñiöi íéå óåéñÜ áðü áééåáÝò ðiö Ý÷iö iâßíåé ðëÝíí ãññööÝò ùò “iâééåññßöiåå MFC”. Í üñiò MFC õciåßíåé “Merge From CURRENT” êåé ðåñéñÜðåé õcí åéåééåáößá ðñiøåñiäÞò

ôiõ êþäéêá ìéáð ãïëéíáóíÝíçò áëëáâPò áðü ôií -CURRENT ðåéñáíáðéêü êïñìü áíÜððôîçò óðii óðáæåñü -STABLE êïñìü.

2.1 ãëå ÷ ïò Êþäéêá

ÔñëÜíóá çíÝñåò ðñéí òçí áíáíáíüíáíç çìåññíçíßá Ýêäiöçò, í êþäéêáò ôiõ repository áéóÝñ÷åðáé óå ìéá ðåññíäí “cåéëóóÝñçóço”. ËáðÜ ôç áéÜñéâéá áðôPò ôçò ðåñéüäiõ, üëäò ié áëëáâÝò ðôii -STABLE êïñìü ðñÝðåé íá Ý÷iõí òçí Ýâñéóç ôçò Release Engineering Team <re@FreeBSD.org>. Íé áëëáâÝò ðiõ áðéóñÝðíóáé óå áðôP ôçí ðåññíäí ðiõ áëëñéâß 15 çíÝñåò áßíáé:

- Áéïñþþóåéò ãñúóðþí ðñïäéçíÜûú.
- Áíçìåñþþóåéò óðçí ôåëìçññùóç.
- ÁëëáâÝò ó÷åðééÝò ìå òçí áóðÜëåéá.
- ÌéññÝò áëëáâÝò óðii ñäçäiýò óðóðéåðþí, üðñò ð.÷. ç ðññóðèþêç ôuí IDs íÝùí óðóðéåðþí.
- ÍðíéáâPðíóá Üëëç áëëáâP ðéóðåýâé ç ñíÜää áíÜððôîçò üðé ðñÝðåé íá áßíáé, ìå ôí áíáíáíüíáíñ ðÜíóá ñßóéí.

ÌåðÜ óéò ðñþþóåò 15 íÝñåò êåëëóóÝñçóço, ôðéÜ÷íåðáé ìéá ãïëéíáóðéêP Ýêäiöç áéá íá ñçóéíðíéçéåß óáí ãïëéíP ôçò ôåëëéPò Ýêäiöçò ééá í êþäéêáò áéóÝñ÷åðáé óå ìéá ðåññíäí “ðåñþìåðíò”. ÐéÝí áßíáé ðíëý ðéí áýóéíëí íá áßííðí íÝåò áëëáâÝò óðii óýóðçíá, áåðüò ñé áí áéïñþþíðí ëÜðíëí ðíëý óíåñü bugP ëÜðíëí ðññüâëçíá áðóÜëåéáò. ËáðÜ ôç áéÜñéâéá ôiõ ðåñþìåðíò ôiõ êþäéêá, ôiõðÜ÷éðóí ñíßá ãïëéíáóðéêP Ýêäiöç ôðéÜ÷íåðáé ëÜëå áåññíÜää, íÝ÷ñé íá áßíáé Ýðíëíç ç ôåëëéP Ýêäiöç. Ôéò çíÝñåò áéñéâPò ðñéí òçí ôåëëéP Ýêäiöç, ç ñíÜää ðiõ áßíáé ñðåýèoíç áéá óéò áåëüðåéò áßíáé óå óñíðþí ðéééíéñüíßá ìå òçí ñíÜää áóðóÜëåéáò, ôçí ñíÜää óðíðþñçóçò ôçò ôåëìçññùóçò, êáé ôçí ñíÜää óðíðþñçóçò ôuí ports, áéá íá áåññéùçíý ðùò üëá óå áðáññáþôçôá êññÜðéá áéá ðëþñç Ýêäiöç áßíáé áéëæÝóéíá.

2.2 Ëþóôá ÁëÝä ÷ ïõ ôçò ÔåëéêPò êäiöçò

¼ôáí áñéâôÝò ãïëéíáóðéêÝò áåëüðåéò Ý÷iõí áßíáé áééâÝóéíåò, Ý÷iõí áïëéíáóðåß áðü áñéâôü êüóíí êáé üëá óå óñññÜ eÝíáðá Ý÷iõí áíáëðéåß, ç ôåëëéP Ýêäiöç ñðíñåß íá áñ÷ßóáé.

2.2.1 Äçíëíññáßá ôiõ Ëïññíý êäiöçò

¼ðùò ðåñéâñÜþáí õðçí áéóáâñðþ, íé ñïññíß RELENG_X_Y áßíáé ìéá ó÷åðééÜ íÝá ðññóðèþêç óðçí ìåðíëíëíßá ôuí áåëüðåþí íåò. Ôí ðñþòí áþíá óðçí äçíëíññáßá áðóïý ôiõ ñïññíý áßíáé íá áåññéùðåßôå üðé äïðëåýåðå ìå ôçí ôåëåððåßá Ýêäiöç ôiõ ðçäáßþí ûþäéêá áðü ôiõ RELENG_X ñïññíü áðü ôiõ iðijþí èá óðéÜíåðå õí íÝí ñïññí.

```
/usr/src# cvs update -rRELENG_4 -P -d
```

Ôí áðüñåñí áþíá áßíáé íá äçíëíññáÞóåðå ìéá áðééÜðå (tag) óðii óçìåñí áåêëþíçóçò ôiõ ñïññíý, þóôå íá ñðíññåßôå íá áåßôå ðéò áéáöiñÝò íå ôçí áñ÷P ôiõ ñïññíý áýéëéá óðiñÝëëí íå ôiñ CVS:

```
/usr/src# cvs rtag -rRELENG_4 RELENG_4_8_BP src
```

Êáé ôüôå ñðíññåßôå íá äçíëíññáÞóåðå ôiñ íÝí ñïññí íå:

```
/usr/src# cvs rtag -b -rRELENG_4_8_BP RELENG_4_8 src
```

Óciàßùóć: Ié áôééêÝôåò *RELENG_** áßíáé áâóìâðiÝíåò áéá ÷ nPóć áðü ôiõò CVS-meisters êáé ôçí iñÜääá ôuí áâäüöåuú.

I üñiõ “âôééêÝôå” áßíáé iññeiãba ôiõ CVS. Óciàßíáé Ýíá üñiñá ðiõ êáèiñßæáé iéá óôñéâññíÝíç Ýêäïóć ôiõ êþäééá óôí ÷ nññí. ×ñçóéiñðiéþíåò áôééêÝôåò óôí ðçñåñí êþäééá áiçëÜìå üðiéí õðéÜìå óôí ïÝëëí áâäüöåéò ôiõ FreeBSD íá áññóôéáé áéá íá ÷ nñçóéiñðiéåß áenéâþò ôií ßäéí êþäééá ðiõ ÷ nñçóéiñðiéþèçêá áéá ôéò áðßóçìåò áâäüöåéò ôçò ñÜääá ôiõ FreeBSD.

2.2.2 ÁðiÜñíóåò ôií Áñéèiü êäiíočò

Ðñéí ñðåé ç áôééêÝôá, iåðåññùôôéóôåß êáé áôièiáóôåß ç óâëéêP Ýêäïóć, ðñÝðåé íá áßññíóí áëëááÝò óôá ðáñáêÜôù áñ÷åßá áéá íá ñðåñéÝ ÷ iñí ôií óùóðüü áñéèiü Ýêäïóćò áéá ôi FreeBSD:

- doc/en_US.ISO8859-1/books/handbook/mirrors/chapter.sgml
- doc/en_US.ISO8859-1/books/porters-handbook/book.sgml
- doc/share/sgml/freebsd.ent
- src/Makefile.incl
- src/UPDATING
- src/gnu/usr.bin/groff/tmac/mdoc.local
- src/release/Makefile
- src/release/doc/en_US.ISO8859-1/share/sgml/release.dsl
- src/release/doc/share/examples/Makefile.relnotesng
- src/release/doc/share/sgml/release.ent
- src/share/examples/cvsup/standard-supfile
- src/sys/conf/newvers.sh
- src/sys/sys/param.h
- src/usr.sbin/pkg_install/add/main.c
- www/en/docs.sgml
- www/en/cgi/ports.cgi
- ports/Tools/scripts/release/config

Ié óciàéþóåéò Ýêäïóćò êáé óá áñ÷åßá iå ôéò áeíñéþóåéò ôçò óâëåñðåßáò óôéäìPò ðñÝðåé áðßóçò íá ðññóáññíóöiyí óôçí iÝá Ýêäïóć (óôí ëiññü ôçò Ýêäïóćò) êáé íá áðåñññáóöiyí êáôÜëëçéá (óôiõò áýí ëiññýò stable êáé current):

- src/release/doc/en_US.ISO8859-1/relnotes/common/new.sgml
- src/release/doc/en_US.ISO8859-1/errata/article.sgml

C áöáññíäP sysinstall ðñÝðåé áðßóçò íá áíçìåññùèåß iå ôií óùóðüü áñéèiü ôuí ports êáé ôi ÷ þñí ôiõ áßóêiõ ðiõ áðåéôåßôáé áéá ôçí ÓðëëiäP ôuí Ports. ÁðôÝò ié ðëçññöiñßåò õðÜñ ÷ iñí óôí áñ÷åßí src/release/sysinstall/dist.c.

Áöiy ieïëçñùèåß ç ðñiåôïéïáóßá ôçò iÝáð åðßóçïçò Yéäïöçò, ðñÝðåé íá åíçìåñþóåôå iåñéêÜ áñ÷åßá ãéá íá åíçìåñþóåôå ôií êüöii ãéá ôç iÝá Yéäïöç ôiõ FreeBSD.

- www/en/includes.xsl
- www/en/includes.sgml
- www/es/includes.sgml
- www/en/releases/*
- src/share/misc/bsd-family-tree

2.2.3 Äçïéïõñäßá ôuí Åôééåôþí ôçò êäïöçò

¼ôáí ç ôåëéêþ Yéäïöç åßíáé Yôïéïç, ç ðáñáéÜôu åiôïëþ èá äçïéïõñäþóåé ôçí åôééÝôá RELENG_4_8_0_RELEASE.

```
/usr/src# cvs rtag -rRELENG_4_8 RELENG_4_8_0_RELEASE src
```

Íé ððåýèöiié ôçò Ôåëïçñßùóçò êáé ôuí Ports åßíáé åôôïß ðiõ ðñÝðåé íá äçïéïõñäþóïí ôéò åôééÝôåð RELEASE_4_8_0 ôôá êáôÜëëçéá aÝíôñá ðçãåßiõ êþäéêá.

ÌåñéêÝð òiñÝð, iðiñåß íá ÷ñåéåôåß íá åßiïõí êÜðiéåð åëéåäÝð ôåëåôôåßá ôôéäþ iðôÜ ôçí ôiðièÝôçóç ôuí åôééåôþí. ÅåíéêÜ, åái åßíáé åýóéëí íá åßiïé åÜôé ôÝðiéí åöiy ôi CVS åðéôñÝðåé íá iåôåééíþóåé êÜðiéiò ôéò åôééÝôåò iå åiôïëÝð üðùò cvs tag -d tagname filename. Åßíáé ðïëý öçïáíôéëü iüñò åôôÝð ié åëéåäÝð ôçò ôåëåôôåßáð ôôéäþò íá öçïåéüëïý íå ôéò óùñôôÝð åôééÝôåð åéá ôçí ôôåéåññéiÝíç Yéäïöç. Íé åðßóçïåð åêäüöååéò ôiõ FreeBSD ðñÝðåé íá åßíáé ðÜíôå åýéëí íá åíåðåñá÷ëïý. ÔiðééÝð åëéåäÝð ôôi ðåñéåÜëëíi ôiõ iç÷áíééíy ôuí åêäüöåùí åái åôéôñÝðiõåé.

3 Iåôåäëþôôéóç ôçò êäïöçò

Íé “åêäüöååéó” ôiõ FreeBSD iðiñïýí íá iåôåäëùôôéôôïýí åðü iðiéíñäþðiôå Y÷åé Yíá ó÷åôééÜ åñþäñí iç÷Üíçìá êáé ðññóååóç ôôi repository ôiõ ðçãåßiõ êþäéêá. (¼ëié Y÷iõí åôôþ ôç åöïåôûôçôå, åöiy ðáñY÷iõí åññóååóç iÝóù áíþíõi CVS! Ååßôå ôi Åå÷åññäéí ôiõ FreeBSD åéá ðåñéóôüôåñåð åëðôñÝñåéåð.) Ç iüíç åéäéêþ åðåßôçóç åßíáé íá ðôÜñ÷åé ððiôþñéïc ôôiñþíå ôåð åéá ôçí ôôóéåôþ vn(4). (Ôôi -CURRENT, åôôþ ç ôôóéåôþ Y÷åé åíôééååôååéåß åðü ôçí iÝá ôôóéåôþ åßóéëí åååéóíYííò óå iíþíç md(4).) Áí ç ôôóéåôþ åái åßíáé åíóùìåðuìYíç ôôiñþíå ôåð, ôüôå i éåôÜëëçëið iäçäñò èá öiñôùèåß åôôüìåðå üôåí åêôåéåôôåß ç åiôïëþ vnconfig(8) êåôÜ ôç åëÜñéåéå ôçò öÜôçò åôïéåñåßå ôiõ iÝóò åêëßíçöçò. ¼ëá ôå åññåéåßá ðiõ ÷ñåÜæiõåé åéá íá iåôåäëùôôþååå iéá Yéäïöç åßíáé åéåðYóéíå óå iññöþ ðçãåßiõ êþäéêá ôôiñ êåôÜëëíi src/release. ÅôôÜ ôå åññåéåßá Y÷iõí ùò ôéïðü íá ðáñY÷iõí üðé ÷ñåéÜæååé åéá íá ÷ôßæiñôåé ié åêäüöååéò ôiõ FreeBSD íå Yíá ôôiñåðþ åéå ôôåéåññéiÝíñ ôññüði. Iéá ðëþñçò Yéäïöç iðiñåß íá iåôåäëùôôéôôåß ÷ñçóéiðiéþðiåð åôôÜ ôå åññåéåßá íå iéá êéé iññí åíðiëþ, ôôiñåñéëåíåññíÝíçò êéé ôçò äçïéïõñäþåð åññö ISO åñ÷åßiõ êåôÜëëçëí åéá íá êååß óå CDROM, ié åéóéÝôååò åêêßíçöçò, êåèþò êéé i éåôÜëëçëið ååêåðÜôôååçò iÝóù FTP. Åôôþ ç åiôïëþ åßíáé ôôóéêþ ç make release.

3.1 C åíôïëþ make release

Åéá íá iåôåäëùôôþååå åôéôô÷þò iéá Yéäïöç, ðñÝðåé ðñþðå íá ðôÜñ÷iõí ôå êåôÜëëçëí åñ÷åßá iÝóá ôôiñ êåôÜëëíi /usr/obj. Iðiñåßôå íá ôå äçïéïõñäþóååå åßôå íå ôçí åiôïëþ make world þ åðëÜ make buildworld. Åéá íá

Ðåôý÷åé åðßóçò ç iåôåâæþòôéóç ôçò ÿéäïóçò ðñÝðåé íá äþóåðå ôéò éáôÜëëçëåò ôéïÝò éáé óå êÜðïéåò iåôåâæçò ÿò:

- CHROOTDIR - I éáôÜëëïò ðñô ëá ÷ñçóéïïðéçèåß óáí ðåñéåÜëëí chroot æáü üëç ôçí iåôåâæþòôéóç ôçò ÿéäïóçò.
- BUILDNAME - Ôí üññá ôçò ÿéäïóçò ðñô ëá iåôåâæùôôßóåðå.
- CVSROOT - I éáôÜëëïò óóïï iðïßí âñßóåðåé ôi CVS repository.
- RELEASETAG - Ç åôééÝóá CVS ðñô áíôéóôïé÷åß óôçí ÿéäïóç ôçí iðïßá èÝéåðå íá iåôåâæùôôßóåðå.

Áí åái ÿ÷åôå Þäç ðññúôååóç óå êÜðïéï ôiðéêü CVS repository iå ôíï êþäééå ôiõ FreeBSD, iðññåßôå ðÜíðå íá ðôéÜlåðå ôi åééü óáò ôiðéêü CVS mirror iå ôi CVSup (http://www.FreeBSD.org/doc/en_US.ISO8859-1/books/handbook/synching.html#CVSUP). ÕðÜñ÷åé ÿíá supfile, óôï áñ÷åßí /usr/share/examples/cvsup/cvs-supfile, ôi iðïßí iðññåßôå íá ÷ñçóéïïðéÞóåðå åéá íá áíôéåñÜþåðå ôi CVS repository ôiõ FreeBSD óóï åééü óáò ôiðéêü mirrror.

Áí ðåñáâæßøåðå ôçí åôééÝóá RELEASETAG, ôüôå ëá iåôåâæùôôéóôåß iéá ðëþñçò ÿéäïóç áðü ôçí êïññöP ôiõ HEAD (äç. ôiõ -CURRENT) êïññíy. Ié åéäüüåéò ðñô öôéÜ÷ññôåé áðü áðöüí ôíï êïññü, ôóíÞèùò áíáöÝññôåé óáí “-CURRENT snapshots”.

ÕðÜñ÷iõí éáé ðïëëÝò Üëëåò iåôåâæçò ÿò ðñô iðññíy íá ÷ñçóéïïðéçèïýí åéá íá ðåñáâæññïðéÞóåðå ôçí ÿéäïóP óáò. Ié ðéï ðïëëÝò áðü áðöÝò ôéò iåôåâæçò ÿò ðåñéæñÜöïíðåé óôçí êïññöP ôiõ áñ÷åßíô src/release/Makefile. Ç åéññåÞò áíôïëP ðñô ÷ñçóéïïðéÞèçéå åéá íá öôéá÷åß ç åðßóçìç ÿéäïóç 4.7 ôiõ FreeBSD (x86 ðæáôöüñíá) Þðái:

```
make release CHROOTDIR=/local3/release \
    BUILDNAME=4.7-RELEASE \
    CVSROOT=/host/cvs/usr/home/n cvs \
    RELEASETAG=RELENG_4_7_0_RELEASE
```

Ôi Makefile ðñô ÷ñçóéïïðéâæßôåé åéá íá iåôåâæùôôßæíñôåé ié åéäüüåéò iðññåß íá ÷ùñéôôåß óå áññéåðÜ iå÷ùñéôôÜ iåôåñý ôiõò åÞiaåá.

- Äçìéïññååé åíüò éåèáñý ðåñéåÜëëíðò óå iéá iå÷ùñéôôP éåñáñ÷ßá éåôåâæüñí åå ôçí åíôïëP “make installworld”.
- ÅíññåùåP áðü ôi CVS iéáò éåéññéåò ÿéäïóçò ôiõ ðçåññíß õþäééå ôiõ óôóôÞiaòiò, ôçò ôåéñçñßùóçò êéé ôùí ports iÝóá óôçí éåñáñ÷ßá éåôåâæüñí iåôåâæþòôôéóçò ôçò ÿéäïóçò.
- Ñðèìßøåéò ôùí áñ÷åßíû óóïï éåôÜëëï /etc êáé /dev iÝóá óóï ðåñéåÜëëí chroot.
- ÅéôÝéåóç ôçò åíôïëPò chroot iÝóá óôçí éåñáñ÷ßá éåôåâæüñí ðñô åôïéíÜóôçéå, åéá íá içí iðññåß ôi åíùôåññéü ðåñéåÜëëí íá åðçññåÜóåé ôç iåôåâæþòôôéóç ôçò ÿéäïóçò.
- ÅéôÝéåóç ôçò åíôïëPò make world iÝóá óóï ðåñéåÜëëí chroot.
- Iåôåâæþòôôéóç ôùí åéôåâæÝóéíùí ðñô åßíáé ó÷åôééÜ iå ôi óýóôçìá Kerberos.
- Iåôåâæþòôôéóç ôiõ ððñÞia GENERIC.
- Äçìéïññååé åíüò óåéééíý éåôåâæüñí ðñô iðïßí èá iåôåâæùôôéóôíýí åéé èá åðïëçéåðéíýí ié åéôåâæÝóéíåò iññöÝò ôùí ååééééÞí ðåéÝóùí.
- Iåôåâæþòôôéóç åéé ååééåðÜóôåóç ôùí åññåâæåßùí ðñô ÷ññéÜæíñôåé åéá ôçí ðññåðééåñåßá ôçò ÿéäïóçò êéé ôç iåôåôññïðP ôçò ôåéñçñßùóçò áðü ôíï ðçåññíß õþäééå (SGML) óå html êáé áñ÷åßá éåéñÝññ ðñô èá óoññääýí ðñô ôçí ÿéäïóç.
- IåôåôññïðP åéé ååééåðÜóôåóç ôçò ôåéñçñßùóçò (åå÷åéñßääé ÷ñÞòôç, åéóåâæééÜ êåßíåíá, óçìåéþòåéò ÿéäïóçò, åéññååðå ôðññåâðüôçò ðñéééý, êëð.)

- Íåðááæþþôðéóç ôuí “óðìðéåðí Ýùu” (crunched) áðôðæÝóéiùí ðið eá ÷ñçóéiðiéçéiýí óðéò äééðÝóððåð áðæðóðÜóððáóçð.
 - Äçjéïõñðá òuí ðáðéÝóùí ðið ãðæðóðÜóððáóçð êáé òuí ðáðéÝóùí ðçðåðið õþäééá.
 - Äçjéïõñðá òuí iÝóùí áðéðßíçóçð êáé ðið äééðÝóððåð “fixit”.
 - Äçjéïõñðá ðið éáñðáñ ðið áðæðüðüuí ãéá ðið áðæðóðÜóððáóç iÝóù FTP.
 - (ðññáéñðáðééÜ) Äçjéïõñðá òuí ISO ãñ÷ðið ãéá iÝóá CDROM/DVD media.

Ãéá ðâñéööñüðâñåò ðëçñïöññåò ð.÷.åðééÜ ïå ôçí äéáäééåóßá äçïéïññåßáò ïéåò Ýéäïöçò, äåßôå ôçí öåëßääá ðâèïçñþùñçò release(7).

3.2 ïåôáâëbôôéóc ôùí XFree86

Ôi ãñáóéêü ðåñéâÜëëí **XFree86** åßíáé Ýíá óçìáíóéêü êíñ Üöé êÜea Ýéäïóçò áéá ðïëëíýò ÷ ñPôåð ðïò èÝëïóí ôi FreeBSD áéá óóâéïýò åññáóßåò. Ðñéí ôçí Ýéäïóç 4.6-RELEASE ôiô FreeBSD, ié åðßöçìåò åêäüóåéò ôiô FreeBSD ÷ ñçöéïðëíýòá ôçí Ýéäïóç 3.x ôuí **XFree86**. Í ðéí åýéëëíò ôññüòð íá ìåðåáæùñôßöåðå åôô Ýò ôéò åêäüóåéò åßíáé íá ÷ ñçöéïðëíðéPôåðå ôi ðññüññâíàìå `src/release/scripts/X11/build_x.sh`. Åôôü ôi ðññüññâíàìå åðáéôåß íá åßíáé Þäç óôçí Ýíá ôóï óýóôçí Ü óáô ôüöí ôi ðåñéâÜëëí XFree86 üöí êáé ç æþþóá Tcl/Tk. Íåò Ü ôçí ìåðåáæþþöéóç ôuí éåô Üëëçëùí X servers, ôi ðññüññâíàìå èá ðåéåô Üññåé üëá ôá áñ ÷ åßá óå ñôéëïäÝò áñ ÷ åßùí ðïò ðåñéí Ýíáé íá åññåé ôi sysinstall(8) íÝóá ôóïí êåô Üëëí XF86336 ôóï íÝóí ååéåô Üññåéò.

Îåêéíþíôå ìå ôcí Ýêäíöç 4.6-RELEASE ôïo FreeBSD, ôï sysinstall(8) åâéåèéóö Ü ôcí Ýêäíöç 4.X ôùí XFree86, óáí eåñííé Ü ðåêÝôá. ÁôðÜ ïðïñåß íá åßíáé åßôå óá ðåêÝôá ðïo äcïëíýñäçóå ôï cluster ôùí ports P ïðïéåäPðïoå Üëéá ðåêÝôá ðïo Ý-ïðï äcïëíññäçéåß áðü Ýíá ports tree ìå ôcí éåðÜëëcëc åôééÝôá.

Óciáßbuóć: Åßíáé ðiēý óciáíóéêú íá áoáéñÝóåôå áðöü ôi áñ÷åßi /etc/make.conf ìðiéåóäPðiòå ôiðeéÝòñòèìßóåéò Ý÷åôå êÜíáé. Åéá ðáñÜäåéäíá, åäí åßíáé éåéÞ eäÝá íá åéáíÝiåôå åéôåéÝóéíå ðòò Ý÷iòí iåðååäüòôéóôåß óå êÜðiéí öooåéâñéíÝíí öýóöçjá ià iñéóíÝíç ôcí ôéíÞ ôcò iåôåâéçòÞò CPUTYPE åéá ååééðéóòðißcóc ôùí åéôåéÝóéíù åéá êÜðiéí öooåéâñéíÝíí åðaiåññåóôP.

3.3 ດັ່ງລັບຢູ່ໄລ້າວຸ້າ ແນວດການ (“ports”)

Ç ÓöëëiäP ôùí Ports ôiõ FreeBSD (<http://www.FreeBSD.org/ports>) åbíráé ieá óöëëiäP iå ðåñéóóüôåñá áðü 20,000 ðñiäñÜìáôá áðü ôñþðiõð, ðiõ åbíráé äéáé Ýóéíá äéá FreeBSD. Íe Ports Management Team <portmgr@FreeBSD.org> åbíráé öðåýèðñíé äéá óçí óðiôðPñçóç áñúð äÝíðñiõ áðü ðçäåßi èþäééá äéá ôá ports, ðiõ iðinåß íá ÷ñçóëiñéçèåß äéá íá äçíéïññçèÿí ôá ðáé Ýôá iå ôá ðñiäñÜìáôá ðiõ óðññäåýiõí ôéò åðßóçìåò åêäüóåéò ôiõ FreeBSD.

Ç æáéääéåóßá óóíóÞñçóçò ôçò óoëëíäÞò ôùí ports åßíáé êÜöé ðïö åái iðiñiýíå íá éáëýøòìå åäþ. já íå ÷ùñéóóü Üñèñii, íå óßðöëi Ç ïñäÜñúóç ëäïóçò ôùí ÐáêÝòú Ëíäéôíéêíý áðü Õñßöiò (./releng-packages/article.html), éáëýðôåé áóðü ôí èÝá.

3.4 Áñ÷åßá ISO ôcò êäïócò

Îåêéíþíôåò ìå ôçí Ýêäïóç 4.4 ôïõ FreeBSD, ç ïÜäá ÁíÜðôôïçò ôïõ FreeBSD áðïöÜóéóå íá äéáíÝlåé êáé ôá ôÝóóåñá ISO áñ ÷åßá ðïõ ðñþþôå ðïõçïýóáí íé åôáéñåßåò *BSDi/Wind River Systems/FreeBSD Mall* ôóéó “åðßóçìåò” äéáññÝò CDROM ðïõ Ýéáíáí. ËÜèá Ýíá áðüû ôá ôÝóóåñá ISO áñ ÷åßá ðñþÝðåé íá ðåñëÝ÷åé Ýíá áñ ÷åßí *README.TXT* ðïõ

```
/stage/cdrom# find . -type f | sed -e 's/^\.\\///' | sort > filename.txt
```

Íé óõäêâñéí Ýíåò áðáéôþóåéò ãéá êÜèå Ýíá áðü áôôÜ óá CD ðåñéãñÜöiíôáé ðáñáêÜôù:

3.4.1 ÄBóêïò 1

Í ðñþþðið áðþéið ó áßíáé ó ÷ áäúí áðiÞééåðóðé Ü áðiÞÝéåðiá ðóð áðiÞéÞð make release. Íé iùiðá áééåáÝð ðið ðñÝðåé íá áßíiði óðiÞ éåðÓÜëiäi disc1 áßíáé ç ðñiðéÞéç ðið ñéåðÓÜëiäi tools, óùiñ **XFree86**, éåé üiði ði ðoðiáðiùi ðåñééóðiùðåñùi ðåéÝðuì iðiñiýí íá ÷ ñéÝðiði óði ñéðóei. Í éåðÓÜëiäi tools ðåñéÝ ÷ áé áññåéåßá ðið ñéðéñÝðiði óá ÷ ñÞðóðå Úéëùi áééðiðóññéþí óðiððçü ðéðuì íá óðéÜñiði óðeð áééðÝðóðå ñéðéþíçóð. Áððuò i ðñþþðið áðþéið ðñÝðåé íá óðéÜ ÷ iðaðé bootable Ýðóé þóðå íá iðiñiýí íé ÷ ñÞðóðå ñiñiñiði ñéðiñiðéóðþí íá áðiðáyaiði ði ði ñéÜæéi áçleðiññåßá ñiñiði áééðåððþí áééðéþíçóð.

Áí íéá æéáöïñâðéêþ Ýéäïöç ôùí XFree86 èá æéáïÝìåðáé íà ôçí Ýéäïöç áðôþ, ðñÝðåé íá åíçìåñùèåß ôí ðññùåñâíïá sysinstall(8) æá ôçí íÝá èÝöç éáé ié iäçäñåò åâéåð Üôôåóçð. Í ó÷åðéüò ëþäééåò ôðÜñ÷åé ôóíí éáðÜëíïí src/release/sysinstall ôóíí -STABLE êíññù þ ôóíí éáðÜëíïí src/usr.sbin/sysinstall ôóíí -CURRENT êíññù. ÔðåæåñéñíÝíá, ôá áñ÷åßá dist.c, menus.c, éáé config.c èá ñåéåóôåß íá åíçìåñùèïýí.

3.4.2 ÄBÓÊÏÒ 2

3.4.3 ÄBÓÊÏÉ 3 êáé 4

4 Äéáííþ ôùí Åêäüóåùí

4.1 ÅîõðçñåôçôÝò FTP

¼ôáái ç Ÿéäïöç áßíáé Ÿòïéïç, Ý÷åé äïéëéïáðôåß áåðôåïþò, êáé Ý÷åé ðåéåðåñéóðôåß áéá äééñïþ, i éýñéïò FTP áïðôðçñåðôçöþò ðñÝðåé íá áïçíåñùèåß. lé åðßóçïïé áïðôðçñåðôçöÝò FreeBSD åßíáé üëïé mirrors åñùò éýñéïò áïðôðçñåðôçöþ oóïí iðïïßi Ý÷iò ðñüöðååóç iùññ Üëïé FTP áïðôðçñåðôçöÝò. Áôðûò i áïðôðçñåðôçþò áßíáé áñùóðûò ùò ftp-master. ¼ôáái ç Ÿéäïöç áßíáé Ÿòïéïç, ðñÝðåé íá áïçíåñùèïý óå ðåññåéÜòù áñ÷åßá oóïí ftp-master:

/pub/FreeBSD/index.html

Ìéá áðëþ web óåëßää áðü ðåñéÝ ÷ áé äåßêôåò óå äéÜöïñiõò óçìáíðéêiyò FTP êáôáëüäiõò áéá ôçí ôñÝ ÷ iõóá Ýêäïöç ôiõ FreeBSD.

/pub/FreeBSD/releases/arch/x.Y-RELEASE/

Í éáôÜeïäiò áðü ôiõ iðiñi ìðiñiý íá äßíiõí åæâåðåóóÜóåéò iÝóù FTP, üðùò ôií Ý ÷ áé ðñiåðiëiÜóåé ç åiðiëþ make release.

/pub/FreeBSD/ports/arch/packages/packages-x.Y-release/

¼éá óá ðñiåðåðåðüóðéóíÝíá ðåéÝóá áéá ôçí ôñÝ ÷ iõóá Ýêäïöç.

/pub/FreeBSD/releases/arch/x.Y-RELEASE/tools

Ìéá óðiâiëéþ óðiðüiåðóç áéá ôiõ éáôÜeïäi .../.../tools.

/pub/FreeBSD/releases/arch/ISO-IMAGES/x.Y/x.Y-*.iso

Ìéá óðiâiëéþ óðiðüiåðóç áéá ôiõ éáôÜeïäi .../.../ports/i386/packages-x.Y-release.

/pub/FreeBSD/releases/arch/ISO-IMAGES/x.Y/x.Y-*.iso

Óá áñ ÷ åßá ISO.

Åéá ðåñéóóðåðåñåò ðëçñiöriñßåò ó ÷ åðééÜ iå ôçí iñäÜíuóç ôuí mirror äéáñiþò FTP ôiõ FreeBSD, ðåñáêåëþ äåßôå ôi Ùñèñi ÖöéÜ ÷ iñðåðó Ýíá FreeBSD mirror (./hubs/).

Ìðiñåß íá ðÜñåé åñéåðÝò þñåò áðü ôçí óðéáñiþò ðiõ èá åíçìåñùèåß i ftp-master iÝ ÷ ñé íá åíçìåñùèiýí óôçí ðëåëiøçößå ðiõò óå ðñþðiõ áðéðÝäiõ FTP mirror iå ôçí iÝá Ýêäïöç. ÅðéáÜeëåðåé ié ððåýèoñié Ýêäïöçò íá óðiâiñiçèiýí iå ôçí çëåâñiñiéþ ëßóå ôuí mirror sites ôiõ FreeBSD (<http://lists.FreeBSD.org/mailman/listinfo/freebsd-hubs>) ðñéí áíáêiëíþòiõí ôçí áâiééþ äéáéåðéiüðôçôå ôçò iÝáò Ýêäïöçò óðiõò åîðçñåðçôÝò FTP.

4.2 Íáæééþ Áíáðáñáðuãþ ôuí CD-ROM

Èá óðiðëçñuèåß óýiõñá: ÓðiâiõëÝò áéá ôçí áðiðóëþ ôuí ISO áñ ÷ åßú ðiõ FreeBSD óå êÜðiëí ðiõ iðiñåß íá êÜíåé ïáæééþ áíáðáñáðuãþ, áéé iÝóñá åéÝä ÷ iõ ðiéüðçåðò ðiõ iðiñiý íá ðáñèiýí.

5 Åðåêôáóéiüðôçôá

Ðáñüei ðiõ ôi FreeBSD åßíáé Ýíá ðëþñåò èåéðiõñäéü óýóðçìá, ååí õðÜñ ÷ áé êÜóé ðiõ íá óåò áíáðéÜæåé íá ÷ ñçóéiðiéþóåò ðiõ óýóðçìá åéñéåþò üðùò ôi Ý ÷ iõiå ðåéåðÜñåé åiåßò áéá äéáñiþò, ÷ iõiå ðñiðåðéþóåé íá ó ÷ åæéÜóðiõå ðiõ óýóðçìá Ýóóé ðiõ íá åßíáé üði ðiõ åðåðåñüðóéii, áéá íá åßíáé åýéiëí íá ÷ ñçóéiðiéçèåß óáí åÜóç ðÜíü óðçí iðiñå Üeeá åiðiñééÜ ðñiüüñå ðiõ iðiñiý íá óðçñé ÷ eïýí. Ì iüñiò “éáñüíáò” ðiõ Ý ÷ iõiå ó ÷ åðééÜ íå åðóóù åßíáé ðùò áí ó ÷ åæéÜæåðå íá äéáñüðå ðiõ FreeBSD íå iðiñüéçò êëþíåðå áéëéáäÝò, óåò åiðéññýiðiõå íá óðåñéñéþóåðå ðeò áéëéáäÝò óåò. Ç eëíüðçå ðiõ FreeBSD iðiñåß iüñi íá åiçëþóåé óôçí ððiðóðñéic áôôþí ðiõ ÷ ñçóéiðiéiýí ðiõ eëáéñééü åéñéåþò üðùò ôi äéáñiðiõå åiåßò. Åðéáññýiðiõå êáé åå ÷ iüñåðå êÜðeå áéëéäþ ðiõ ðñiñùðåß ôçí áíÜððöñiç ðeí åíåééäñiðiõå åññåðå ðiõ åðééñéþò, áéá ðáñÜäåéåñá, áéëÜ ååí èá ðñÝðåé íá ðåñéiÝíáé åíåé åßíåðò íá iðiñiý íá åðáñðþðiõå êáé åññùðþðåé ð ÷ åðééÜ íå êÜóé ðYóiéí.

5.1 Äçìéïöñäßá ÐñïóáñïóiÝíùí Äéóéåôôþí Åêéßíçóçò.

ÐïëëÝò åâæåðåðÜðåéò Ý÷iõí ðïëýðëièåò åðåéðþðåéò ðiõ ïðïñåß íå ôç ôâéñÜ ðiõò íá åðåéðiýí ôçí ðñïóðèþêç ðâñéööðüðåñùí iäçäþí Þ åññâæåßùí ÷ñþðôç ôóéò åéóéÝðôðåò åâæåðÜðôðåçò. Í “iðåéÜëéëò” ôñüðiò íá ôi êÜíåðå åðôü åßíáé íá êÜíåðå ôéò åéëååÝò óåò ôóii èåðÜëiäi ðiõ Ý÷åé åðiéiÜóåé íåðÜ ðiõ ôÝëiò ôçò ç åéåæéåðå make release:

- ÐåñÜðåå ôá patches óåò Þ ðñïóðëÝðåå ôá åðéðëÝii áñ÷åßá iÝóå ôóii èåðÜëiäi chroot ôçò Yéäiöçò.
- rm \${CHROOTDIR}/usr/obj/usr/src/release/release. [59]
- ìåðåæëñðôðþðåå ðÜëé ôi sysinstall(8), ôiõ ððñþíá, Þ üðiéá Üëëá ðñïäñÜììååá Ý÷iõí åðçñååðååß åðü ôéò åéëååÝò óåò.
- chroot \${CHROOTDIR} ./mk floppies

Íé íÝåò åéóéÝðôðåò åâæåðÜðåååçò èá äçìéïöñäçèiýí ôóii èåðÜëiäi \${CHROOTDIR}/R/stage/floppies.

ÅíâæéåðééÜ, ïðïñåßðåå íá ÷ñçóéiðiéþðåå ôi make target boot.f1p, Þ ïðïñåßðåå íá ôñÝîåðå åðåððèåßåò ôi script ðiõ äçìéïöñäåß ôá ôðóðþíåååå ãñ÷åßùí src/release/scripts/doFS.sh.

Ìðïñåßðåå åðþðçò íá èåññíþðåååå þðôå åééÝò óåò åéëååÝò íå ðåñåðôiýí íå iññöÞ patch ôçí Yéäiöç üðñò èá ôðéÜ÷åðåé, åßññiðåå ôéiÞ ôçí íåðåååçöÞ LOCAL_PATCH üðñå åñÝîåðå ôçí åiðiëÞ make release.

5.2 Ðñïäñäiìåðþæiíòåò ôi sysinstall

Ôi åññåæåßí åâæåðÜðåååçò èåé ñýéiéóçò ôiõ FreeBSD, ôi sysinstall(8), ïðïñåß íá ðñïäñäiìåðéóðååß åéá íá êÜíåé ðei åýéièåò ôéò åðôññååòiðiéçíÝiåò åâæåðååðÜðåéò ôå ðïëëÜ lç÷áíþíååå. Åðü ôi ÷áñâæöçñéóðéêü ôiõ ðñïäñÜììåòiò ïðïñåß íá ÷ñçóéiðiéçèåß ôå ôðíäðååòiù íå ôi PXE[13] ôçò Intel åéá íå iâééíþðåéç åâæåðÜðåååç åðü ôi åßéòði, Þ ôå ôðfðåðåòiù íå ðñïäññiòiÝiåò åéóéÝðôðå åééßíçóçò éé Yíá sysinstall script. Íá ðánÜäååéåååå åðü ôÝðiéí sysinstall script ïðïñåßðåå íá åññåßðåå ôiõ áñ÷åßü src/release/sysinstall/install.cfg.

6 Íáèþíåååå åðü ôçí èäiöç 4.4 ôiõ FreeBSD

Ç åéåæéåðåå åðiéiáðþðåå ôçò Yéäiöçò 4.4 ôiõ FreeBSD iâéßíçóå åðþðçíå ôçí 1ç Áðññýóðiõ 2001. ÍåðÜ åðü åððÞ ôçí çiâññiçíßá, üëåò ié åéëååÝò ôóii èiññi RELENG_4 ôiõ FreeBSD Ýðñåðåå íá Ý÷iõí Yâéñéöç åðü ôçí Release Engineering Team <re@FreeBSD.org>. Ç ðñþðç åiêéíåðéêÞ Yéäiöç åéá ôçí áñ÷éðåðiéêÞ x86 Yâéíå åééåéÝóéiç ôðéò 16 Åðññýóðiõ, éé åééiðeþçéå åðü 4 åéüíå åiêéíåðéêÝò åéäüðåéò ðiõ iäPççóáí ôçí ôâééêÞ Yéäiöç ôðéò 18 ôiõ ÓåðoÝâñç. Í ððåýéðiðið åðóÜëååéåå Yðåéåå åçíåðéêü ñüëi èåðÜ ôçí åéÜñéåååå ôçò ôâéåððåååå åââññÜäåå èåèþò èÜðiéåå ðñïäñëþíåååå åðóÜëååéåå åñÝéçéåå ôå ðñïçäýíåååò, åiêéíåðéêéÝò åéâüðåéò. ÒðññrëéÜ, ðÜñu åðü 500 email ôðÜëèçéåå ôçí Release Engineering Team <re@FreeBSD.org> óå åéÜðåçíå iéêñüðåññå åðü Yíá iþíá.

Ç eïéñüðçðå åðü ÷ñçóðþí iáð Yéáíå åáðÝò üðé ç åðóÜëååéå åéé ç ôðåéññüðçðå iéáð Yéäiöçò åáí èÜ 'ðññðåå íá èðóéÜæåðåå åéá åáíååñüò åßññiðò ðñïèåðòiðåå Þ çiâññiçíßåò ðiõ Ý÷iõí ôâééåß ôáí ôóü÷ié åðü ðñéí. Ôi FreeBSD Ý÷åé iâññåðþðåå åññååðéêÜ èåðÜ ôç åéÜñéåååå ôçò æùþð ðiõ ôáí ôýðôðçíå, åéé ç áíÜäåç åéá ôðåéññéñéíYíç ðïëéðéêÞ åéé iññÜññóç åéá ôçí äçìéïöñäßá iÝúí åéäüñðåññå åßññéå ðëÝíí ðáñññþ ðâññéóðüðåññå åðü ðiðóÝ. ÅððÞ ç áíÜäåç åé åßññéå åéüññå ðëiñçíåðéêÞ åéèþò ôi FreeBSD èá áñ÷ßóåé íá iâðååÝññåðåé ôå iÝåò ðëáððöüññåò.

7 Íåëëííôéê Ýò Éáôåõèýíóåéò

Åßíáé æùööéßò óciåóßåò íé ðñâéöéé Ýò êáé ç iñäÜùöç ôçò äéääééåóßåò áciëïöñäßåò ôñí åêäüöåþí íàð íá ôðiâáäßæðí íå óciý óðíå÷þò áðiâiùìåíç åÜóç ôñí ÷ñçööþí íàð. Íå åÜóç áðöP ôç ôéÝøç åññåáæüìåóôå óéèçñÜ ãéá íá ôåèiçñéþöiñå óciý äéääééåóßå ðáññåùåPò ôñí åêäüöåùí ðiñ FreeBSD.

8 Åõ÷áñéóôßåò

9 ÁíáöïñÝò

- [1] CVS - Concurrent Versions System <http://www.cvshome.org>
 - [2] CVSup - The CVS-Optimized General Purpose Network File Distribution System
<http://www.polstra.com/projects/freeware/CVSup>
 - [3] <http://bento.FreeBSD.org>
 - [4] FreeBSD Ports Collection <http://www.FreeBSD.org/ports>
 - [5] The libh Project <http://www.FreeBSD.org/projects/libh.html>

[6] FreeBSD Committers

http://www.FreeBSD.org/doc/en_US.ISO8859-1/articles/contributors/staff-committers.html

[7] FreeBSD Core-Team http://www.FreeBSD.org/doc/en_US.ISO8859-1/articles/contributors/staff-core.html

[8] FreeBSD Handbook http://www.FreeBSD.org/doc/en_US.ISO8859-1/books/handbook

[9] GNATS: The GNU Bug Tracking System <http://www.gnu.org/software/gnats>

[10] FreeBSD PR Statistics <http://www.FreeBSD.org/prstats/index.html>

[11] NetBSD Developer Documentation: Release Engineering <http://www.NetBSD.org/developers/releng/index.html>

[12] John Baldwin's FreeBSD Release Engineering Proposal <http://people.FreeBSD.org/~jhb/docs/releng.txt>

[13] PXE Jumpstart Guide http://www.FreeBSD.org/doc/en_US.ISO8859-1/articles/pxe/index.html

[14] Marshall Kirk McKusick, Michael J. Karels, and Keith Bostic: *The Release Engineering of 4.3BSD*

(<http://docs.FreeBSD.org/44doc/papers/releng.html>)