

Contents

1	Classes	2
1.1	vector – vector object and arithmetic	2
1.1.1	Vector – vector class	3
1.1.1.1	copy – copy itself	5
1.1.1.2	set – set other compo	5
1.1.1.3	indexOfNoneZero – first non-zero coordinate	5
1.1.1.4	toMatrix – convert to Matrix object	5
1.1.2	innerProduct(function) – inner product	7

Chapter 1

Classes

1.1 vector – vector object and arithmetic

- **Classes**
 - **Vector**
- **Functions**
 - **innerProduct**

This module provides an exception class.

VectorSizeError : Report vector size is invalid. (Mainly for operations with two vectors.)

1.1.1 Vector – vector class

Vector is a class for vector.

Initialize (Constructor)

Vector(*compo: list*) \rightarrow *Vector*

Create Vector object from *compo*. *compo* must be a list of elements which are an integer or an instance of **RingElement**.

Attribute

compo :

It expresses component of vector.

Operations

Note that index is 1-origin, which is standard in mathematics field.

operator	explanation
u+v	Vector sum.
u-v	Vector subtraction.
A*v	Multiplication vector with matrix
a*v	or scalar multiplication.
v//a	Scalar division.
v%n	Reduction each elements of compo
-v	element negation.
u==v	equality.
u!=v	inequality.
v[i]	Return the coefficient of i-th element of Vector.
v[i] = c	Replace the coefficient of i-th element of Vector by c.
len(v)	return length of compo .
repr(v)	return representation string.
str(v)	return string of compo .

Examples

```
>>> A = vector.Vector([1, 2])
>>> A
Vector([1, 2])
>>> A.compo
[1, 2]
```

```
>>> B = vector.Vector([2, 1])
>>> A + B
Vector([3, 3])
>>> A % 2
Vector([1, 0])
>>> A[1]
1
>>> len(B)
2
```

Methods

1.1.1.1 `copy` – copy itself

`copy(self) → Vector`

Return copy of `self`.

1.1.1.2 `set` – set other `compo`

`set(self, compo: list) → (None)`

Substitute **compo** with `compo`.

1.1.1.3 `indexOfNoneZero` – first non-zero coordinate

`indexOfNoneZero(self) → integer`

Return the first index of non-zero element of `self.compo`.

†Raise `ValueError` if all elements of **compo** are zero.

1.1.1.4 `toMatrix` – convert to Matrix object

`toMatrix(self, as_column: bool=False) → Matrix`

Return **Matrix** object using **createMatrix** function.

If `as_column` is `True`, create the column matrix with `self`. Otherwise, create the row matrix.

Examples

```
>>> A = vector.Vector([0, 4, 5])
>>> A.indexOfNoneZero()
2
>>> print A.toMatrix()
0 4 5
>>> print A.toMatrix()
```

0
4
5

1.1.2 innerProduct(function) – inner product

innerProduct(bra: *Vector*, ket: *Vector*) → *RingElement*

Return the inner product of **bra** and **ket**.

The function supports Hermitian inner product for elements in the complex number field.

†Note that the returned value depends on type of elements.

Examples

```
>>> A = vector.Vector([1, 2, 3])
>>> B = vector.Vector([2, 1, 0])
>>> vector.innerProduct(A, B)
4
>>> C = vector.Vector([1+1j, 2+2j, 3+3j])
>>> vector.innerProduct(C, C)
(28+0j)
```