

The ThreeKPlusOne Package

Version 42

Dummy Authör

Copyright

© 2000 The Author.

You can do with this package what you want.

Really.

Contents

1	The $3k + 1$ Problem	4
1.1	Theory	4
1.2	Program	4
1.2.1	ThreeKPlusOneSequence	4

Chapter 1

The $3k + 1$ Problem

1.1 Theory

Let $k \in \mathbb{N}$ be a natural number. We consider the sequence $n(i, k), i \in \mathbb{N}$, with $n(1, k) = k$ and else $n(i + 1, k) = n(i, k)/2$ if $n(i, k)$ is even and $n(i + 1, k) = 3n(i, k) + 1$ if $n(i, k)$ is odd.

It is not known whether for any natural number $k \in \mathbb{N}$ there is an $m \in \mathbb{N}$ with $n(m, k) = 1$.

ThreeKPlusOne provides the function `ThreeKPlusOneSequence` (1.2.1) to explore this for given n . If you really want to know something about this problem, see [1] or <http://mathsrv.ku-eichstaett.de/MGF/homes/wirsching/> for more details (and forget this package).

1.2 Program

In this section we describe the main function of this package.

1.2.1 ThreeKPlusOneSequence

◇ `ThreeKPlusOneSequence(k[, max])` (function)

This function computes for a natural number k the beginning of the sequence $n(i, k)$ defined in section 1.1. The sequence stops at the first 1 or at $n(\max, k)$, if \max is given.

Example

```
gap> ThreeKPlusOneSequence(101);  
"Sorry, not yet implemented. Wait for Version 84 of the package"
```

References

- [1] Günther J. Wirsching. *The dynamical system generated by the $3n + 1$ function*, volume 1681 of *Lecture Notes in Mathematics*. Springer-Verlag, Berlin, 1998. [4](#)

Index

ThreeKPlusOneSequence, [4](#)